



POLY DOSE Label Drop

ELECTRONIC AUTOMATIC DISPENSER WITH 4 FUNCTIONS THAT ALLOW TO MAKE THOUSANDS POLYURETHANE DOMED LABELS IN FEW HOURS .

Label Drop




TO ENJOY FULLY ALL THE FEATURES AND FUNCTIONS OF YOUR PRODUCT, PLEASE READ THIS OWNER MANUAL CAREFULLY AND COMPLETELY





POLY DOSE Label Drop

Technical features



Art. E35 Electronic semiautomatic - Art. E36 Electronic automatic Poly Dose

Working	Electronic-pneumatic
Alimentation	220 V single-phase
Absorbed current	24 Watt
Max pressure during operations	3 Atm
Components	24 V
Dimension	W. 34 cm - D. 28 cm - H. 51 cm
Weight	Kg 7

Articles included with the unit and spare parts

100 X
needle
PD1
Assort.



20 X
syringe
PD2
60 cc.



1 X
connector
PD8
60 cc.



20 X
joint
PD6
60 cc.



1 X
balance
PD12





Accessory available for the Poly Dose Label Drop

	Art. PD1 needle for syringes box 50 pieces each size. SIZE AVAIIABLE: exterior diameter: mm. 0,90 - 1,10 - 1,20 - 1,60 - 1,80		Art. PD3 syringe capacity 60 cc box 350 pieces
	Art. PD2 syringe capacity 60 cc box 50 pieces		Art. PD5 syringe capacity 120 cc box 250 pieces
	Art. PD4 syringe capacity 120 cc box 50 pieces		Art. PD6 10 pieces joint for syringes 60 cc
	Art. PD8 aluminium connector for syringes 60 cc		Art. PD7 10 pieces joint for syringes 120 cc
	Art. PD9 aluminium connector for syringes 120 cc		Art. PD12 digital balance division 1gr Weight 0 - 2 kg of resin
	Art. PD10 3 Mt. flex mm.3/5 tube to Line: from vertical syringe support to the aluminium connector .		Art. PD11 3 Mt. flex mm.4/6 (Line: From Poly Dose to Syringe vertical support)
	Art. PD13 Remount Adhesive Spray Can 400 ml to a A Post-it type of adhesive which will not give a permanent bond Allows for lifting and mounting numerous times without re-spray.		Art. PD14 bubble remover

**Characteristics and advantages using the Fast Cure Oven ,
the Easy Level base set up with the Poly Drop dust free trays.**

	Art. Easy Level Dust Free Tray DF1 cm 25x40 set of 10 pieces with 4 Adjustable Magnetic feet ELF and 20 magnetic stripes. Apply the 4 adjustable Easy Level feet to any Dust Free Trays and obtain an extra state of art levelled working or curing base to overlay the table.	
	Art. Easy Level Dust Free Tray DF2 cm 77x40 set of 5 pieces with 4 Adjustable Easy Level Magnetic feet ELF and 20 magnetic stripes. Apply the 4 adjustable Easy Level feet to any Dust Free Trays and obtain an extra state of art levelled working or curing base to overlay the table.	
	Art. MF1 Extra Magnetics feet Set of 4 Apply the 4 adjustable Easy Level feet to any Dust Free Trays and obtain an extra state of art levelled working or curing base to overlay the table.	
	Art. MS1 Extra Magnetics Stripes cm 35 Box of 40 It keep level the vinyl sheet avoid the vinyl roll memory	

	art. Oven fast dry FC1 dedicated to rapidly cure A4 size sheet of small domed labels. It increase production speed and it reduces waste cost. It's Equipped with 10 Dust free Easy Level tray cm 25x42 It's Equipped with adjustable feet for flat results	Alimentation	220 V - 50 Hz monofase
		Energy consumption	W 650
		Internal dimension	W. 41 cm x D. 27 cm x H. 33 cm
		External dimension	W. 45 cm x D. 28 cm x H. 42 cm
		Weight 10 tray DF1 included	Kg. 20
	art. Oven fast dry FC2 dedicated to rapidly cure A3 size Sheet of domed labels or big domed sign lettering and logos. It increase production speed and it reduces waste cost. It's Equipped with 10 Dust free Easy Level tray cm 77x02 It's Equipped with adjustable feet for flat results	Alimentation	220 V - 50 Hz monofase
		Energy consumption	W 950
		Internal dimension	W. 48 cm x D. 40 cm x H. 38 cm
		External dimension	W. 83 cm x D. 45 cm x H. 49 cm
		Weight 10 tray DF2 included	Kg. 40